

※表中、数値が動いた欄は、色付きで表示。

表3 修正前 全県調査（先行調査＋全県民調査）外部被ばく実効線量推計状況 H25. 3. 31現在

実効線量 (mSv)	全データ	放射線業務従事経験者を除く				「放射線業務従事経験者を除く」の地域別内訳(%は地域ごとの線量割合)													
						県北 (注1)		県中		県南		会津		南会津		相双 (注2)		いわき	
～1未満	277,350	271,822	66.0%	94.9%	38,556	32.2%	59,863	59.5%	21,252	91.5%	33,935	99.6%	3,536	99.4%	54,214	77.8%	60,466	99.2%	
～2未満	121,165	119,018	28.9%		69,710	58.2%	35,168	35.0%	1,974	8.5%	146	0.4%	22	0.6%	11,562	16.6%	436	0.7%	
～3未満	18,589	18,260	4.4%	4.7%	11,101	9.3%	5,332	5.3%	10	0.0%	3	0.0%	0	—	1,795	2.6%	19	0.0%	
～4未満	1,349	1,283	0.3%		388	0.3%	244	0.2%	0	—	1	0.0%	0	—	647	0.9%	3	0.0%	
～5未満	584	549	0.1%	0.2%	35	0.0%	5	0.0%	0	—	0	—	0	—	509	0.7%	0	—	
～6未満	458	408	0.1%		18	0.0%	2	0.0%	0	—	0	—	0	—	388	0.6%	0	—	
～7未満	258	228	0.1%	0.1%	5	0.0%	0	—	0	—	0	—	0	—	223	0.3%	0	—	
～8未満	147	116	0.0%		1	0.0%	0	—	0	—	0	—	0	—	115	0.2%	0	—	
～9未満	112	78	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	78	0.1%	0	—	
～10未満	64	40	0.0%		0	—	0	—	0	—	0	—	0	—	40	0.1%	0	—	
～11未満	70	42	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	42	0.1%	0	—	
～12未満	42	29	0.0%		1	0.0%	0	—	0	—	0	—	0	—	28	0.0%	0	—	
～13未満	37	16	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	16	0.0%	0	—	
～14未満	33	11	0.0%		0	—	0	—	0	—	0	—	0	—	11	0.0%	0	—	
～15未満	29	10	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	10	0.0%	0	—	
15以上～	256	12	0.0%		0	—	0	—	0	—	0	—	0	—	12	0.0%	0	—	
計	420,543	411,922	100.0%	100.0%	100.0%	119,815	100%	100,614	100%	23,236	100%	34,085	100%	3,558	100%	69,690	100%	60,924	100%
最高値	66mSv	25mSv				11mSv		5.9mSv		2.6mSv		3.6mSv		1.6mSv		25mSv		3.9mSv	

(注1) 先行地区（川俣町山木屋地区）を含む。
 (注2) 先行地区（浪江町、飯館村）を含む。

※割合(%)は線量別に端数処理を行っている

表3-1 修正後 全県調査（先行調査＋全県民調査）外部被ばく実効線量推計状況 H25. 6. 25修正 H25. 3. 31現在

実効線量 (mSv)	全データ	放射線業務従事経験者を除く				「放射線業務従事経験者を除く」の地域別内訳(%は地域ごとの線量割合)													
						県北 (注1)		県中		県南		会津		南会津		相双 (注2)		いわき	
～1未満	277,356	271,820	66.0%	94.9%	38,553	32.2%	59,857	59.5%	21,237	91.4%	33,935	99.6%	3,536	99.4%	54,236	77.8%	60,466	99.2%	
～2未満	121,174	119,033	28.9%		69,709	58.2%	35,168	35.0%	1,989	8.6%	146	0.4%	22	0.6%	11,563	16.6%	436	0.7%	
～3未満	18,591	18,261	4.4%	4.7%	11,105	9.3%	5,337	5.3%	10	0.0%	3	0.0%	0	—	1,787	2.6%	19	0.0%	
～4未満	1,346	1,280	0.3%		388	0.3%	245	0.2%	0	—	1	0.0%	0	—	643	0.9%	3	0.0%	
～5未満	577	544	0.1%	0.2%	35	0.0%	5	0.0%	0	—	0	—	0	—	504	0.7%	0	—	
～6未満	456	407	0.1%		18	0.0%	2	0.0%	0	—	0	—	0	—	387	0.6%	0	—	
～7未満	256	227	0.1%	0.1%	5	0.0%	0	—	0	—	0	—	0	—	222	0.3%	0	—	
～8未満	145	114	0.0%		1	0.0%	0	—	0	—	0	—	0	—	113	0.2%	0	—	
～9未満	114	79	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	79	0.1%	0	—	
～10未満	66	42	0.0%		0	—	0	—	0	—	0	—	0	—	42	0.1%	0	—	
～11未満	70	42	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	42	0.1%	0	—	
～12未満	40	27	0.0%		1	0.0%	0	—	0	—	0	—	0	—	26	0.0%	0	—	
～13未満	35	14	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	14	0.0%	0	—	
～14未満	32	10	0.0%		0	—	0	—	0	—	0	—	0	—	10	0.0%	0	—	
～15未満	30	11	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	11	0.0%	0	—	
15以上～	255	11	0.0%		0	—	0	—	0	—	0	—	0	—	11	0.0%	0	—	
計	420,543	411,922	100.0%	100.0%	100.0%	119,815	100%	100,614	100%	23,236	100%	34,085	100%	3,558	100%	69,690	100%	60,924	100%
最高値	66mSv	25mSv				11mSv		5.9mSv		2.6mSv		3.6mSv		1.6mSv		25mSv		3.9mSv	

(注1) 先行地区（川俣町山木屋地区）を含む。
 (注2) 先行地区（浪江町、飯館村）を含む。

※割合(%)は線量別に端数処理を行っている

表3-2 修正前後の差違 全県調査（先行調査＋全県民調査）外部被ばく実効線量推計状況 H25. 3. 31現在

実効線量 (mSv)	全データ	放射線業務従事経験者を除く				「放射線業務従事経験者を除く」の地域別内訳(%は地域ごとの線量割合)													
						県北 (注1)		県中		県南		会津		南会津		相双 (注2)		いわき	
～1未満	6	△ 2	0.0%	0.0%	△ 3	0.0%	△ 6	0.0%	△ 15	-0.1%	0	0.0%	0	0.0%	22	0.0%	0	0.0%	
～2未満	9	15	0.0%		△ 1	0.0%	0	0.0%	15	0.1%	0	0.0%	0	0.0%	1	0.0%	0	0.0%	
～3未満	2	1	0.0%	0.0%	4	0.0%	5	0.0%	0	0.0%	0	0.0%	0	—	△ 8	0.0%	0	0.0%	
～4未満	△ 3	△ 3	0.0%		0	0.0%	1	0.0%	0	—	0	0.0%	0	—	△ 4	0.0%	0	0.0%	
～5未満	△ 7	△ 5	0.0%	0.0%	0	0.0%	0	0.0%	0	—	0	—	0	—	△ 5	0.0%	0	—	
～6未満	△ 2	△ 1	0.0%		0	0.0%	0	0.0%	0	—	0	—	0	—	△ 1	0.0%	0	—	
～7未満	△ 2	△ 1	0.0%	0.0%	0	0.0%	0	—	0	—	0	—	0	—	△ 1	0.0%	0	—	
～8未満	△ 2	△ 2	0.0%		0	0.0%	0	—	0	—	0	—	0	—	△ 2	0.0%	0	—	
～9未満	2	1	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	1	0.0%	0	—	
～10未満	2	2	0.0%		0	—	0	—	0	—	0	—	0	—	2	0.0%	0	—	
～11未満	0	0	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	0	0.0%	0	—	
～12未満	△ 2	△ 2	0.0%		0	0.0%	0	—	0	—	0	—	0	—	△ 2	0.0%	0	—	
～13未満	△ 2	△ 2	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	△ 2	0.0%	0	—	
～14未満	△ 1	△ 1	0.0%		0	—	0	—	0	—	0	—	0	—	△ 1	0.0%	0	—	
～15未満	1	1	0.0%	0.0%	0	—	0	—	0	—	0	—	0	—	1	0.0%	0	—	
15以上～	△ 1	△ 1	0.0%		0	—	0	—	0	—	0	—	0	—	△ 1	0.0%	0	—	
計	0	0	0.0%	0.0%	0.0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
最高値	66mSv	25mSv				11mSv		5.9mSv		2.6mSv		3.6mSv		1.6mSv		25mSv		3.9mSv	

(注1) 先行地区（川俣町山木屋地区）を含む。
 (注2) 先行地区（浪江町、飯館村）を含む。

※割合(%)は線量別に端数処理を行っている